



Technical drawings are subject to change without notice.
 All millimeter dimensions are exact and supersede inch conversions.
Ladder height at or above 3000mm [118 1/8"]
Require safety side rails SL.6052.AK



All ladder systems require reinforced walls, cabinets, or shelving.

Leaning Ladder SL.6000.AK

Date Prepared: October 2018

Prepared By: CDA | JRT






LUXURY
 GLASS & HARDWARE

www.luxuryglassandhardware.com

Technical drawings are subject to change without notice.
 All millimeter dimensions are exact and supersede inch conversions.
Ladder height at or above 3000mm [118 1/8"]
require safety side rails SL.6052.AK

All ladder systems require reinforced walls, cabinets, or shelving.



Leaning Ladder SL.6000.AK.E

Date Prepared: October 2018

Prepared By: CDA | JRT





LUXURY
 GLASS & HARDWARE

www.luxuryglassandhardware.com

Technical drawings are subject to change without notice.
 All millimeter dimensions are exact and supersede inch conversions.
Ladder height at or above 3000mm [118 1/8"]
require safety side rails SL.6052.AK

All ladder systems require reinforced walls, cabinets, or shelving.



Leaning Ladder SL.6000.AK.H

Date Prepared: October 2018

Prepared By: CDA | JRT



LUXURY
GLASS & HARDWARE

www.luxuryglassandhardware.com