





Technical drawings are subject to change without notice.  
All millimeter dimensions are exact and supersede inch conversions.

Ladder height at or above 3000mm [118 1/8"]  
require safety side rails SL.6052.AK



All ladder systems require reinforced walls, cabinets, or shelving.



# Sliding Ladder SL.6002.AK

Date Prepared: October 2018

Prepared By: CDA | JRT







**LUXURY**  
GLASS & HARDWARE

www.luxuryglassandhardware.com

Technical drawings are subject to change without notice.  
All millimeter dimensions are exact and supersede inch conversions.

Ladder height at or above 3000mm [118 1/8"]  
require safety side rails SL.6052.AK



# Sliding Ladder SL.6002.AK.E

Date Prepared: October 2018

Prepared By: CDA | JRT






**LUXURY**  
GLASS & HARDWARE

www.luxuryglassandhardware.com

All ladder systems require reinforced walls, cabinets, or shelving.

Technical drawings are subject to change without notice.  
All millimeter dimensions are exact and supersede inch conversions.

Ladder height at or above 3000mm [118 1/8"]  
require safety side rails SL.6052.AK



All ladder systems require reinforced walls, cabinets, or shelving.

# Sliding Ladder SL.6002.AK.H

Date Prepared: October 2018

Prepared By: CDA | JRT



**LUXURY**  
GLASS & HARDWARE

www.luxuryglassandhardware.com