




Technical drawings are subject to change without notice.  
All millimeter dimensions are exact and supersede inch conversions.

Ladder height at or above 3000mm [118 1/8"]  
require safety side rails SL.6052.AK




\*Mounting positions may be specified on purchase order.

Specify center line rail height AFF on purchase order



All ladder systems require reinforced walls, cabinets, or shelving.



# Telescopic Ladder SL.6003.AK

Date Prepared: October 2018


Prepared By: CDA | JRT

**LUXURY**  
GLASS & HARDWARE  
www.luxuryglassandhardware.com





Technical drawings are subject to change without notice.  
All millimeter dimensions are exact and supersede inch conversions.

Ladder height at or above 3000mm [118 1/8"]  
require safety side rails SL.6052.AK





\*Mounting positions may be specified on purchase order.

Specify center line rail height AFF on purchase order



ST.2100.MM  
Specify rosette diameter on purchase order available at  
Ø20mm [13/16"]  
Ø40mm [1 9/16"]  
Ø50mm [1 15/16"]  
Ø60mm [2 3/8"]



All ladder systems require reinforced walls, cabinets, or shelving.

# Telescopic Ladder SL.6003.AK.E

Date Prepared: October 2018

Prepared By: CDA | JRT






**LUXURY**  
GLASS & HARDWARE

www.luxuryglassandhardware.com

Technical drawings are subject to change without notice.  
All millimeter dimensions are exact and supersede inch conversions.

Ladder height at or above 3000mm [118 1/8"]  
require safety side rails SL.6052.AK



All ladder systems require reinforced walls, cabinets, or shelving.

# Telescopic Ladder SL.6003.AK.H

Date Prepared: October 2018

Prepared By: CDA | JRT



**LUXURY**  
GLASS & HARDWARE

www.luxuryglassandhardware.com