



Technical drawings are subject to change without notice.
 All millimeter dimensions are exact and supersede inch conversions.



ESG
 Tempered Glass
 Please adjust wheels by
 sliding block +/- 2.0 mm
 max. door weight 155 Kg
 weight 342 Lbs.

**MWE wheel assemblies are
 suitable for all US standard
 door thicknesses!**

Specify door thickness on purchase
 order.



door width	dimension	8mm Glass	10mm Glass	12mm Glass
0 - 500mm	A	23mm	25mm	27mm
501 - 1200mm	A	24mm	26mm	28mm
1201 - 2500mm	A	26mm	28mm	30mm

door width	dimension	5/16" Glass	3/8" Glass	1/2" Glass
0 - 19 11/16"	A	7/8"	1"	1 1/16"
19 3/4" - 47 1/4"	A	15/16"	1"	1 1/8"
47 5/16" - 98 7/16"	A	1"	1 1/8"	1 3/16"

Terra M ST.1062.TM

Date Prepared: July 2018


Prepared By: CDA | JRT



LUXURY
 GLASS & HARDWARE

www.luxuryglassandhardware.com

Technical drawings are subject to change without notice.
 All millimeter dimensions are exact and supersede inch conversions.



ESG
 Tempered Glass


Please adjust wheels by
 sliding block +/- 2.0 mm

max. door weight 155 Kg
 weight 342 Lbs.

MWE wheel assemblies are
 suitable for all US standard
 door thicknesses!

Specify door thickness on purchase
 order.

Glass Prep



door width	dimension	Glass		
		10mm	12mm	
0 - 500mm	A	23mm	25mm	27mm
501 - 1200mm	A	24mm	26mm	28mm
1201 - 2500mm	A	26mm	28mm	30mm

door width	dimension	Glass		
		3/8"	1"	1/2"
0 - 19 11/16"	A	7/8"	1"	1 1/16"
19 3/4" - 47 1/4"	A	15/16"	1"	1 1/8"
47 5/16" - 98 7/6"	A	1"	1 1/8"	1 3/16"

Terra M ST.1062.TM

Date Prepared: July 2018


Prepared By: CDA | JRT



LUXURY
 GLASS & HARDWARE

www.luxuryglassandhardware.com


Technical drawings are subject to change without notice.
 All millimeter dimensions are exact and supersede inch conversions.



ESG
 Tempered Glass
 Please adjust wheels by
 sliding block +/- 2.0 mm
 max. door weight 155 Kg
 weight 342 Lbs.

MWE wheel assemblies are
 suitable for all US standard
 door thicknesses!

Specify door thickness on purchase
 order.



door width	dimension	8mm Glass	10mm Glass	12mm Glass
0 - 500mm	A	23mm	25mm	27mm
501 - 1200mm	A	24mm	26mm	28mm
1201 - 2500mm	A	26mm	28mm	30mm

door width	dimension	5/16\" Glass	3/8\" Glass	1/2\" Glass
0 - 19 11/16\"	A	7/8\"	1\"	1 1/16\"
19 3/4\" - 47 1/4\"	A	15/16\"	1\"	1 1/8\"
47 5/16\" - 98 7/16\"	A	1\"	1 1/8\"	1 3/16\"

Terra M ST.1062.TM

Date Prepared: July 2018


Prepared By: CDA | JRT



LUXURY
 GLASS & HARDWARE

www.luxuryglassandhardware.com

Technical drawings are subject to change without notice.
 All millimeter dimensions are exact and supersede inch conversions.




ESG
 Tempered Glass
 Please adjust wheels by
 sliding block +/- 2.0 mm
 max. door weight 155 Kg
 weight 342 Lbs.

MWE wheel assemblies are
 suitable for all US standard
 door thicknesses!

Specify door thickness on purchase
 order.

Glass Prep



door width	dimension	8mm Glass	10mm Glass	12mm Glass
0 - 500mm	A	23mm	25mm	27mm
501 - 1200mm	A	24mm	26mm	28mm
1201 - 2500mm	A	26mm	28mm	30mm

door width	dimension	5/16" Glass	3/8" Glass	1/2" Glass
0 - 19 11/16"	A	7/8"	1"	1 1/16"
19 3/4" - 47 1/4"	A	15/16"	1"	1 1/8"
47 5/16" - 98 7/16"	A	1"	1 1/8"	1 3/16"



LUXURY
 GLASS & HARDWARE



www.luxuryglassandhardware.com

Terra M ST.1062.TM

Date Prepared: July 2018

Prepared By: CDA | JRT

Technical drawings are subject to change without notice.
All millimeter dimensions are exact and supersede inch conversions.



door width	dimension	8mm Glass	10mm Glass	12mm Glass
0 - 500mm	A	23mm	25mm	27mm
501 - 1200mm	A	24mm	26mm	28mm
1201 - 2500mm	A	26mm	28mm	30mm

door width	dimension	5/16" Glass	3/8" Glass	1/2" Glass
0 - 19 11/16"	A	7/8"	1"	1 1/16"
19 3/4" - 47 1/4"	A	15/16"	1"	1 1/8"
47 5/16" - 98 7/16"	A	1"	1 1/8"	1 3/16"

Terra M ST.1062.TM

Date Prepared: July 2018 | Prepared By: CDA | JRT